WEATHERSTATION DATA

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION: A HISTORY


- NOAA was originally formed in 1970 alongside the creation of the Environmental Protection Agency, as part of the U.S. Department of Commerce.
- These agencies making up NOAA include: the U.S. Coast and Geodetic Survey formed in 1807, The Weather Bureau 1870, and the Bureau of Commercial Fisheries 1871.

"Specifically, NOAA is a science-based agency which has the responsibility to predict changes in the oceanic and atmospheric environments and living marine resources, and to provide related data, information, and services to the public, industry, the research community, and other government agencies."



NOAA'S WEATHER SERVICES: THE NATIONAL WEATHER SERVICE

- The first weather radars systems are a byproduct of radar technology developed for WWII.
 Now,
- NWS uses radar, satellite, snow cover, marine and buoy reports and more as tools for Website to see all weather forecasts in the United States: http://www.weather.gov/



WHEN DID WEATHER OBSERVATIONS START?

- The Weather Bureau started taking weather observations in 1870.
- Some historical records existed from early settlers for example, Thomas Jefferson participated in taking the first known regular weather observations from 1772-78.
- In 1849 150 volunteers throughout the U.S. reported weather observations regularly, and ten years later weather reports via telegraphs were being published in the Washington Evening Star newspaper.
- In 1870 a resolution was passed requiring the Secretary of War to take meteorological observations at various military stations.

National Oceanic & Atmospheric Administration Central Library. *Evolution to the Signal Service Years* (1600-1891). 2006.

SNOTEL SITE HISTORY

- SNOTEL (SNOwpack TELemetry) sites were originally developed with the intention of measuring snow-water equivalent in mountainous regions.
- This technology was developed by Dr. James Church in 1906.
- In 1980 the U.S. Department of Agriculture (USDA) added an array of weather sensors, data loggers, and telemetry systems which they called SNOTEL.
- The USDA manages over 730 SNOTEL stations at high-elevation sites in the western United States and Alaska and the hourly data is displayed in the internet for every station.
- The importance of snow-water equivalent is the "amount of water contained within a core of snowpack" in which the same amounts of snow can yield different water amounts based on temperature and precipitation amounts.


Bellingham, Keith. Stevens Water Monitoring Systems, Inc. What You Don't Know About Snow: The USDA's SNOTEL Network is Playing a Critical Role in Protecting Water Resources in the Western United States.

Natural Resource Conservation Service. SNOTEL Data Collection Factsheet. 2013.


WHO USES SNOTEL DATA?

- SNOTEL data is useful to
 - Researchers
 - Water Managers
 - Emergency Managers
 - Recreationalists

SNOTEL Site Components





http://www.stevenswater.com/articles/snotel.aspx



Predict which stations could be useful in in making stream flow predictions. For the Animas River in Durango.

http://www.wcc.nrcs.usda.gov/snotel/Colorado/colorado.html





SNOTEL site Network across the western U.S. and Alaska http://www.stevenswater.com/articles/snotel.aspx

HOW IS HISTORICAL WEATHER DATA FOUND?

- Proxy data: Data that is gathered from natural recorders of climate variability through tree rings, ice cores, fossil pollen, ocean sediments, coral and historical data.
- Paleoclimatology: The study of past climates in times prior to weather instruments.
- Historical data: Historical documents, and observations can be found in farmers logs, diaries, old newspapers, and other written records. These sources can be compared and analyzed to provide a good resource for historical data.
- Fossil Pollen: Each species of plant has pollen grains with distinct shapes which can be used to identify the type of plant from which they came. Pollen is well preserved in the sediment in the bottom of bodies of water, and can be used to tell what plants grew at the time the sediment was deposited.
- Corals: Coral contains oxygen and trace metals that can determine the temperature of water when the coral grew, which can be used to construct climate during the period that the coral lived.
- Ocean Sediments: Cores from sediment on the ocean floor consist of material that was at one time either on land or produced in the lake and ocean (fossils and chemicals) that can be used to interpret past climates.

ICE CORES AND TREE RINGS

Ice cores and tree rings are the two most useful proxy data sources in mountainous regions to determine past climates.

Ice cores are located in mountains glaciers, and deep polar ice caps with deep snow that have accumulated over centuries. Cores can be drilled out and contain dust, air bubbles, and oxygen that can be used to interpret past climates through the range of the core sample.

Tree rings: Trees are influenced by climactic conditions such as drought, and can be a great source for interpreting climate. Trees produce at least one ring a year, and the width of each ring can infer the amount of precipitation, and isotopic compositions.

A local study in the San Juan Mountains:

http://www.mountainstudies.org/sites/default/files/pdf/educati
on/Animas_treering_brochure_RevC.pdf



